HP Color LaserJet Managed MFP E87640, E87650, E87660



The next generation of quality, productivity, and security

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP Color LaserJet A3 MFPs – to power productivity with a streamlined design that delivers premium colour value, maximum uptime, and the strongest security.



















Quality laser printing

Big colour. Small cost.

- Print premium, professional-quality documents with vivid colour images and graphics for a low cost.
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network
- Grab pages and go, without waiting. This HP LaserJet wakes up guickly and prints fast up to 60 ppm.3

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network store data on the encrypted hard disk.4
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more quickly and accurately using the pull-out keyboard.5
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

HP Color LaserJet Managed Flow MFP E87640z shown

- 1. 250-sheet automatic document feeder supports media up to A3
 2. Flatbed scanner handles sheets up to 297 x 432 mm
 3. 20.3 cm colour touchscreen control panel tilts up for easier viewing
 4. Pull-out keyboard (Flow MFP E87640z, Flow MFP E87650z, Flow MFP E87660z)
 5. Right door (access to the print path)
 7. Front door access to toner cartridges
 8. Hardware Integration Pocket (for connecting accessory and third-party devices)
 9. Easy-access USB port

- 9. Easy-access USB port
 10. 500-sheet output bin
 11. Automatic two-sided printing
 12. HP Secure High-Performance Hard Disk
 13. 520-sheet tray 2 supports media up to A4
 14. 520-sheet tray 3 supports media up to A3
 15. Slot for cable-type security lock
 16. 2 Hi-Speed USB 2.0 Host ports
 17. Gigabit Ethernet port
 18. Hi-Speed USB 2.0 Device port





Series at a glance













Model	HP Color MFP E87640dn	HP Color Flow MFP E87650dn	HP Colour MFP E87660dn	HP Color Flow MFP E87640z	HP Color Flow MFP E87650z	HP Color Flow MFP E87660z
Product number	X3A73A + X3A87A or Z8Z12A	X3A73A + X3A90A or Z8Z14A	X3A73A + X3A93A or Z8Z16A	X3A76A + X3A86A or Z8Z13A	X3A76A + X3A89A or Z8Z15A	X3A76A + X3A92A or Z8Z17A
Functions	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Same as E87640dn	Same as E87650dn	Same as E87660dn
Print speed	Up to 40 pages per minute (ppm), A4	Up to 50 pages per minute (ppm), A4	Up to 60 pages per minute (ppm), A4	Same as E87640dn	Same as E87650dn	Same as E87660dn
ADF capacity	250 sheets, supports media up to A3	250 sheets, supports media up to A3	250 sheets, supports media up to A3	Same as E87640dn	Same as E87650dn	Same as E87660dn
Scan speeds	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)
Advanced workflow features	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Same as E87640dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E87650dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E87660dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	Same as E87640dn	Same as E87650dn	Same as E87660dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E87640dn	Same as E87650dn	Same as E87660dn

Accessories, Supplies and Support

Supplies ^{1 2}	W9050MC HP W9050MC Black Managed LaserJet Toner 54,000 pages
	W9051MC HP W9051MC Cyan Managed LaserJet Toner 52,000 pages
	W9052MC HP W9052MC Yellow Managed LaserJet Toner 52,000 pages
	W9053MC HP W9053MC Magenta Managed LaserJet Toner 52,000 pages
	W9054MC HP W9054MC Black Managed LaserJet Imaging Drum 160,000 pages
	W9055MC HP W9055MC Managed LaserJet Imaging Drum 145,000 pages
	W9058MC HP W9058MC Managed LaserJet Toner Collection Unit
Accessories	Y1G13A HP LaserJet Inner/Booklet Staples
	Y1G14A HP LaserJet Stapler/Stacker Finisher Staples
	Y1G16A HP LaserJet Printer Cabinet
	Y1F98A HP LaserJet Dual Cassette Department Feeder
	Y1G21A HP LaserJet 2000-sheet HCI Input Tray
	Y1G20A HP LaserJet 3000 Sheet HCI Dept Tray
-	Y1G00A HP LaserJet Inner Finisher
	Y1G18A HP LaserJet Stapler/Stacker Finisher
	Y1G07A HP LaserJet Booklet Finisher
	Y1603A HP LaserJet Inner Finisher Hole 2/4 Punch
	Y1604A HP LaserJet Inner Finisher Swedish Punch
	Y1G11A HP LaserJet Hole Punch 2/4 Accessory
	Y1G12A HP LaserJet Hole Punch Swedish Accessory
	CC487A HP LaserJet MFP Analog Fax Accessory 500
	B5L28A HP Internal USB Ports
	B5L29A HP High-Performance Secure Hard Disk
	B5L31A HP Foreign Interface Harness
	F5562A HP Trusted Platform Module Accessory
Connectivity	J8030A HP Jetdirect 3000w NFC/Wireless Accessory
	J8031A HP Jetdirect 2900nw Print Server
Service and support	U9LS7E HP 1 year Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LS8E HP 3 year Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LS9E HP 4 year Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LT0E HP 5 year Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LT3PE HP 1 year Post Warranty Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LT3PE HP 2 year Post Warranty Next Business Day Service with Defective Media Retention for Colour LaserJet E876xx MFP Managed U9LT3PE HP 1 year Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed U9LT3E HP 3 year Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed U9LT3E HP 4 year Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed U9LT3E HP 5 year Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed U9LU3PE HP 1 year Post Warranty Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed U9LU3PE HP 2 year Post Warranty Next Business Day Parts Exchange Service for Colour LaserJet E876xx MFP Managed

Technical specifications

Model	HP Color MFP E87640dn	HP Color Flow MFP E87650dn	HP Colour MFP E87660dn	HP Color Flow MFP E87640z	HP Color Flow MFP E87650z	HP Color Flow MFP E87660z
Product number	X3A73A + X3A87A or Z8Z12A	X3A73A + X3A90A or Z8Z14A	X3A73A + X3A93A or Z8Z16A	X3A76A + X3A86A or Z8Z13A	X3A76A + X3A89A or Z8Z15A	X3A76A + X3A92A or Z8Z17A
Functions	Print, Copy, Scan (fax and wireless	s optional)				
Control panel	Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware			20.3 cm (8.0-in) Colour Graphics Display (CGD) with touchscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware Integration Pocket; Pull-out keyboard		
Print						
Print technology	Laser					
Print speed ³	Black (A4, normal): Up to 40 ppm; Colour (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (A3, normal): Up to 20 ppm; Colour (A3, normal): Up to 20 ppm	Black (A4, normal): Up to 50 ppm; Colour (A4, normal): Up to 50 ppm; Black (A4, duplex): Up to 50 ipm; Black (A3, normal): Up to 25 ppm; Colour (A3, normal): Up to 25 ppm	Black (A4, normal): Up to 60 ppm; Colour (A4, normal): Up to 60 ppm; Black (A4, duplex): Up to 60 ipm; Black (A3, normal): Up to 30 ppm; Colour (A3, normal): Up to 30 ppm	Black (A4, normal): Up to 40 ppm; Colour (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (A3, normal): Up to 20 ppm; Colour (A3, normal): Up to 20 ppm	Black (A4, normal): Up to 50 ppm; Colour (A4, normal): Up to 50 ppm; Black (A4, duplex): Up to 50 ipm; Black (A3, normal): Up to 25 ppm; Colour (A3, normal): Up to 25 ppm	Black (A4, normal): Up to 60 ppm; Colour (A4, normal): Up to 60 ppm; Black (A4, duplex): Up to 60 ipm; Black (A3, normal): Up to 30 ppm; Colour (A3, normal): Up to 30 ppm
First page out ⁴	Black (A4, ready): As fast as 8.1 sec; Colour (A4, ready): As fast as 9.2 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 7.2 sec; Colour (A4, ready): As fast as 8.3 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.9 sec; Colour (A4, ready): As fast as 8.0 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 8.1 sec; Colour (A4, ready): As fast as 9.2 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 7.2 sec; Colour (A4, ready): As fast as 8.3 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.9 sec; Colour (A4, ready): As fast as 8.0 sec; Black (A4, sleep): As fast as 20 sec; Colour (A4, sleep): As fast as 20 sec
Print resolution	Black (best): Up to 1200 x 1200	dpi reduced speed; Colour (best):	Up to 1200 x 1200 dpi reduced sp	eed		1
Monthly duty cycle	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 40,000	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 45,000	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 50,000	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 40,000	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 45,000	Up to 300,000 pages (A4); Recommended monthly page volume: Up to 50,000
Printer smart software features	your work—and your business— LaserJet MFP designed for maxin help keep your network safe. Aut	look its best. Annoying interruptio num uptime, so you can count on r omatically monitor threats, detect	isiness. Produce premium, professi ns and complex maintenance can s eliable results, day in and day out. intrusions, and validate operating jobs fast—up to 180 ipm—and avo	low down printing, and ultimately, Only HP Enterprise printers repair t software with security offered only	the pace of business. Avoid pauses hemselves from attacks in real tim by HP. Accelerate workflow, impro	s in productivity with an HP ne, delivering built-in security to
Standard print languages	HP PCL 6, HP Postscript level 3 er	mulation, PDF (v 1.7), AirPrint™ cor	mpatible			

Model	HP Color MFP E87640dn	HP Color Flow MFP E87650dn	HP Colour MFP E87660dn	HP Color Flow MFP E87640z	HP Color Flow MFP E87650z	HP Color Flow MFP E87660z	
Product number	X3A73A + X3A87A or Z8Z12A	X3A73A + X3A90A or Z8Z14A	X3A73A + X3A93A or Z8Z16A	X3A76A + X3A86A or Z8Z13A	X3A76A + X3A89A or Z8Z15A	X3A76A + X3A92A or Z8Z17A	
Fonts and typefaces	84 scalable TrueType fonts	1	Į.	<u> </u>	I		
Print area	Print margins: Top: 4.2 mm. Bo	ottom: 4.2 mm, Left: 4.2 mm, Right:	4.2 mm: Maximum print area: 3	1.5 x 448.7 mm			
Duplex printing	Automatic (standard)		,				
Сору	riatorriatic (staridara)						
Copy speed	Black (A4): Up to 40 cpm; Colour (A4): Up to 40 cpm	Black (A4): Up to 50 cpm; Colour (A4): Up to 50 cpm	Black (A4): Up to 60 cpm; Colour (A4): Up to 60 cpm	Black (A4): Up to 40 cpm; Colour (A4): Up to 40 cpm	Black (A4): Up to 50 cpm; Colour (A4): Up to 50 cpm	Black (A4): Up to 60 cpm; Colour (A4): Up to 60 cpm	
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); Optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; Collation; Booklet; ID Scan; Job build; Job storage; Watermark; Stamps; Book mode scans; Erase edges; Automatically detect color/mono; Image preview; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400%			Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); Optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; Content orientation; Collation; Booklet; ID Scan; Job build; Job storage; Watermark; Stamps; Book mode scans; Erase edges; Automatically detect color/mono; Image preview; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 600 x 600 dpi; Reduce/Enlarge: 25 to 400%			
Scan							
Scan speed ⁵	Up to 90 ipm (black and white);			(A4): Up to 240 ipm (black and			
Scan file format	Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A; Print from easy access USB: PDF, PS, Print Ready files (.prn, .pcl, .cht)			Digital Send: PDF, Hi-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, MTS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (.prnpdcht)			
Scanner specifications		an technology: Platen Scanner CCI P) applications; Twain version: Ver				eve to USB; Save to device memory;	
Scanner Advanced Features	Scan-to-E-mail; Scan-to-netwo	rk folder (stand alone solution); Sca	n to Cloud; Scan to USB; Scan-to-S	harePoint			
Scannable area	Minimum media size (flatbed)	: 25 mm; Minimum media size (AC	DF): 105 x 148 mm				
Bit depth/ Grey scale levels	24-bit / 256						
Digital sending	Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to SFTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Blank Page Removal; Edge Erase; Auto Colour Sense; Compact PDF; Auto Straighten Standard: Scan to E-mail; Save-to-Network Folder; Save-to-USB drive; Send to Sharepoint; Send to FTP; Send to LAN Fax; Send to Internet Fax; Local Address Book; SMTP over SSL; Page Removal; Edge Erase; Auto Colour Sense; Auto Crop To Content; Compact PDF; Auto Tone: Auto Orientation; Multi-Pick Detect; Auto Straighten; Auto Crop To Page; OCR					ldress Book; SMTP over SSL; Blank ent; Compact PDF; Auto Tonescale;	
Fax							
Fax ⁶	Optional, 33.6 kbps						
Fax specifications	Fax resolution: Standard: 203 Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 Quick dialing: Up to 1,000 num						
Processor speed	1.2 GHz						
Connectivity							
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-S	peed USB 2.0 Device; 1 Gigabit Ethe	ernet 10/100/1000T network; 1 Ha	ardware Integration Pocket			
Optional	HP Jetdirect 3000w NFC/Wirele	ss Accessory J8030A; HP Jetdirect 2	900nw Print Server J8031A				
Wireless	No Wireless capabilities standar	d. There are optional accessories th	at support Wireless.				
Mobile printing capability ⁷	Yes						
Supported network protocols		atible (Mac OS 10.2.4 or higher), SNI OTP/DHCP, WINS, IP Direct Mode, W				6: DHCPv6, MLDv1, ICMPv6; IPv4:	
Network capabilities	Standard (built-in Gigabit 10/10	0/1000T Ethernet)					
Hard disk	erase-job data, secure ATA eras		rd Disk, total 640GB; AES 256 hard	ware encryption or greater; Secur	e erase capabilities (Secure file era	se-temporary job files, secure	
Memory	Standard: 7 GB; Maximum : 7 G	ŝВ					
Media handling							
Number of paper trays	Standard: 3; Maximum: 6						
Media types	96-110g, Heavy Glossy 111-13	90g, Light 60-74g, Bond, Recycled 0g, HP Matte 150g, HP Glossy 150g perboard 256-300g, Heavy Paperb	j, Extra Heavy 131-175g, Extra Hea	avy Glossy 131-175g, HP Matte 20	00g, HP Glossy 200g, Carstock 176	i-220g, Card Glossy 176-220g,	
Media size	Custom (metric): Tray 1: 98 x 1 Supported (metric): Tray 1: A3 A4R, A5, A5R, Ra4, B4 (JIS), B5 (ADF: Oficio; Executive; Stateme	.39.7 to 308 × 457.2 mm; Tray 2: 9i , A4, A4R, A5, A5R, A6, SRa3, SRA3, JIS), B6(JIS), Oficio, 8K, 16k, Enveloj nt; Ledger; A3;A4; A4R; A5; A6; B4;E	8 x 139.7 to 297 x 390 mm; Tray 3 Ra4, B4 (JIS), B5 (JIS), B6 (JIS), Ofic De B5, Envelop C5, Envelope C6, En	: 140 x 182 to 320 x 457.2 mm io, 8K, 16k, Postcard, Dpostcard (.	JIS), Envelope B5, Envelop C5, Enve	elope C6, Envelope DL; Tray 2: A4,	
Media handling	Optional input: Optional 2,000	Standard output: 500 sheet face-down output bin Optional input: Optional 2,000 sheet tray; Optional 3000 sheet tray					
Media weight	Tray 1, 2, 3: 60 to 300 g/m² ADF: Simplex: 42 to 220 g/m²; I	Duplex: 60 to 220 g/m²					

Model	HP Color MFP E87640dn	HP Color Flow MFP E87650dn	HP Colour MFP E87660dn	HP Color Flow MFP E87640z	HP Color Flow MFP E87650z	HP Color Flow MFP E87660z	
Product number	X3A73A + X3A87A or Z8Z12A	X3A73A + X3A90A or Z8Z14A	X3A73A + X3A93A or Z8Z16A	X3A76A + X3A86A or Z8Z13A	X3A76A + X3A89A or Z8Z15A	X3A76A + X3A92A or Z8Z17A	
nput capacity	Tray 1: Sheets: 100; Envelopes:	40; Tray 2: Sheets: 520; Envelopes	ı s: 40; Tray 3: Sheets: 520; Maxim ı	ı m: Up to 6,140 sheets			
Output capacity	Standard: Up to 500 sheets; Env	velopes: Up to 40 envelopes; Maxi r	num: Up to 3,250 sheets				
Compatible	Android, Linux Boss (5.0), Linux (Debian (7.0, 7.1, 7.2, 7.3, 7.4, 7.5, 7		3.4. 8.5. 8.6). Linux Fedora (22. 23.	24). Linux Mint (17, 17,1, 17,2, 17,	3. 18). Linux Red Hat Enterprise	
operating systems	RT OS for Tablets), Windows 7 al), Linux Ubuntu (12.04, 14.04, 15. 132/64-bit editions, Windows 8/8.	1 all 32/64-bit editions (excluding F	RT OS for Tablets), Windows Vista a	ll 32bit editions, Windows XP SP3	32-bit editions	
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/CO08 R2/SP1 Citrix on Windows Server 2008 Terminal Services, 32/64-bit, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services, 32/64-bit) Citrix XenApp 6.0/6.5/7.5, (for Windows Server 2008 R2 Ferminal Services, 32/64-bit) Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 R2 Ferminal Services, 32/64-bit) Citrix XenApp 7.5, (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit) Citrix XenDesktop 5.6, (for Windows Server 2008 R2 SP1 Terminal Services, 52/64-bit) Citrix XenDesktop 5.6/7.0/7.5, (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit) Novell NetWare 6.5/SP8 Novell Clients http://www.novell.com/iprint, Novell iPrint Appliance v1.0, Novell Open Enterprise Server 217/SP1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/iprint), Windows Server 2003/2003 R2 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82 32/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008 82/64-bit (SP1/SP2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2016/64-bit Standard/Enterprise (+ Cluster & Terminal S						
Minimum system requirements	http://www.microsoft.com;	disk space, CD-ROM or DVD drive, bace; Internet; See http://www.App		JSB or network connection or Wire	less connection, OS hardware requ	irements see	
Software included	HP Connected, HP Device Experior software), Online user manuals	ence (DXP), HP PCL 6 Printer Driver,	HP Software Installer/Uninstaller, 1	Mac OS Welcome Screen (Directs us	ers to http://www.123.HP.com or	OS App Source for printer	
Security management		SSL/TLS, WPA2-Enterprise, 802.1X 10 IPsec Configuration using IPsec		_S), IPP over TLS, IPsec/Firewall wit	h Certificate, Pre-Shared Key Autho	entication, and Kerberos	
Printer management	Deployment Utility, HP Managed	(it for HP Universal Print Driver (UPI Printing Administrator, PRNCON.EX , HP WS Pro Proxy Agent); HP JetAc	E, HPPRLOG, Migrate Server Tools,				
Dimensions and V	Veight						
Printer	Minimum: 585 x 785 x 932.2 m	m; Maximum: 1645 x 785 x 1190	mm				
dimensions (W x D x H)							
x H) Package dimensions (W x D	831 x 685 x 1053 mm						
x H) Package dimensions (W x D x H)	831 x 685 x 1053 mm						
x H) Package dimensions (W x D x H) Printer Weight							
	113.1 kg	dity: 20 to 80% RH					
x H) Package dimensions (W x D x H) Printer Weight Package weight Operating	113.1 kg 131.6 kg						
x H) Package dimensions (W x D x H) Printer Weight Package weight Operating environment	113.1 kg 131.6 kg Temperature: 15 to 30°C, Humi Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm	Acoustic power emissions: 6.6 B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm	Acoustic power emissions: 6.7 B(A) printing color simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A4 paper at 60 ppm	Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm	Acoustic power emissions: 6.6 B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm	B(A) printing color simplex usin: A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A4 paper at 60 ppm	
x H) Package dimensions (W x D x H) Printer Weight Package weight Operating environment Storage	113.1 kg 131.6 kg Temperature: 15 to 30°C, Humi Temperature: -10 to 40°C, Hum Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4	Acoustic power emissions: 6.6 B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 951 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue	B(A) printing color simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A4	B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4	B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4	B(A) printing color simplex usin A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A paper at 60 ppm Requirements. Input voltage: 220 to 240 Vac (+/- 10%), 50/6 Hz (+/- 3 Hz); Consumption: 1121 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off. Typical Electricity Consumption (TEC). Blue Angel: 3.974 kWh/Week; Energistar: 3.866 kWh/Week; Best ¹⁰ ; Blue Angel: 3.974 kWh/Week;	
x H) Package dimensions (W x D x H) Printer Weight Package weight Operating environment Storage Acoustics	113.1 kg 131.6 kg Temperature: 15 to 30°C, Humi Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm Requirements ⁹ : input voltage: 220 to 240 Vac (+/- 10%), 50/66 Hz (+/- 3 Hz); Consumption: 854 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 2.702 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Cnergy Star: 2.683 kWh/Wee	Acoustic power emissions: 6.6 B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 951 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.283 kWh/Week; Energy Star: 3.318 k	B(A) printing color simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A4 paper at 60 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 1121 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.974 kWh/Week; Bestigus Associated Stars: 3.860 kWh/Week; Bergy Star: 3.860 kWh/Week; Bergy Stars: 3.860 kWh/Week; Power supply type: Internal (Built-in) power supply	B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 854 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 2.702 kWh/Week; Energy Star: 2.683 kWh/Week; Best ¹⁰ : Blue Angel: 2.702 kWh/Week; Energy Star: 2.683 kWh/Week; Power supply type: Internal (Built-in) power supply	B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 951 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.283 kWh/Week; Energy Star: 3.318 kWh/Week; Energy Star: 3.318 kWh/Week; Energy Star: 3.318 kWh/Week; Power supply type: Internal (Built-in) power supply	pressure emissions: 51 dB(A) printing colour simplex using Ar paper at 60 ppm Requirements ⁸ : Input voltage: 220 to 240 Vac (+/- 10%), 50/6 Hz (+/- 3 Hz); Consumption: 1121 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off) Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.974 kWh/Week; Energ Star: 3.860 kWh/Week; Energy Star: 3.860 kWh/Week; Power supply type: Internal (Built-in) power supply	
x H) Package dimensions (W x D x H) Printer Weight Package weight Operating environment Storage Acoustics	113.1 kg 131.6 kg Temperature: 15 to 30°C, Humi Acoustic power emissions: 6.5 B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm Requirements ⁹ : input voltage: 220 to 240 Vac (+/- 10%), 50/66 Ltz (+/- 3 Hz); Consumption: 854 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 2.702 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Power supply CISPR 22:2008 (international) - Class A individual countries ENERGY STAR® qualified; EPEAT® Silver Blue Angel compliant Yes, Blue Angel	Acoustic power emissions: 6.6 B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing colour simplex using A4 paper at 50 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 951 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.283 kWh/Week; Energy Star: 3.318 k	B(A) printing color simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A4 paper at 60 ppm Requirements ⁹ : input voltage: 220 to 240 Vac (+/-10%), 50/60 Hz (+/-3 Hz); Consumption: 1121 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.974 kWh/Week; Energy Star: 3.860 kWh/Week; Energy Star: 3.860 kWh/Week; Energy Star: 3.860 kWh/Week; Power supply type: Internal (Built-in) power supply	B(A) printing color simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 49 dB(A) printing colour simplex using A4 paper at 40 ppm Requirements⁹: input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 854 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC) * Blue Angel: 2.702 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Energy Star: 2.683 kWh/Week; Power supply type: Internal (Built-in) power supply	B(A) printing color simplex using A4 paper at 50 ppm, Acoustic pressure emissions : 50 dB(A) printing colour simplex using A4 paper at 50 ppm Requirements ⁶ : input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption : 951 watts (printing), 65 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TECP)* Blue Angel: 3.283 kWh/Week; Energy Star: 3.318 kWh/Week; Energy Star: 3.318 kWh/Week; Energy Star: 3.318 kWh/Week; Power supply type: Internal (Built-in) power supply 224: 2010, EMC Directive 2014/30/EU, other star and the supply type: Internal (Built-in) power supply 224: 2010, EMC Directive 2014/30/EU, other supply 24: 2010, EMC Directive 2014/20/EU, other supply 24: 2010, EMC Directive	B(A) printing color simplex usin A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing colour simplex using A paper at 60 ppm Requirements ⁹ : Input voltage: 220 to 240 Vac (+/- 10%), 50/6 Hz (+/- 3 Hz); Consumption: 1121 watts (printing), 55 watts (ready), 12 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off, Typical Electricity Consumption (TEC) ⁹ : Blue Angel: 3.974 kWh/Week; Energ Star: 3.860 kWh/Week; Energy Star: 3.860 kWh/Week; Energy Star: 3.860 kWh/Week; Power supply type: Internal (Built-in) power supply	

Footnotes

- Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/qo/PrintersThatProtect. For more information: http://www.hp.com/qo/printersecurityclaims.
- Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.connected.com.

 Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.
- ⁵ Feature available only on the Z bundles.

Technical specifications disclaimers

- Average colour composite (C/M/Y) and black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies

 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 4 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.

 Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for 34V and 6 sec/page for 17V
- Optional Wireless Direct and Wireless
- B Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty.
- 9 Power requirements are based on the country/region where the printer is sold. Do not convert operating voltages. This will damage the printer and void the product warranty. Energy Star value typically based on measurement of 115V device.











The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

