HP LaserJet Managed MFP E82540, E82550, E82560



The next generation of quality, productivity, and security

Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet A3 MFPs – to power productivity with a streamlined design that delivers premium quality, maximum uptime, and the strongest security.











HP Web Jetadmin





Quality laser printing

High quality, low cost

- Print premium, professional-quality documents with sharp text and crisp graphics for a
- Get consistent, professional quality and performance you count on with Original HP toner cartridges and drums.
- Choose from a range of modular accessories designed to adapt to the needs of workgroups of all sizes.

Minimal interruptions. Maximum uptime.

- Avoid interruptions with an HP LaserJet Managed MFP designed to be streamlined for maximum productivity.
- Tailor this MFP to the needs of your business with a wide range of paper-handling
- Scan files directly to Microsoft® Office 365 and SharePoint, plus email, USB, and network
- Grab pages and go, without waiting. This HP LaserJet wakes up guickly and prints fast up to 60 ppm.3

The world's most secure printing

- With HP Sure Start, each printer regularly checks its operating code and repairs itself from attempted hacks.
- Help protect information on your MFP and in transit over the network store data on the encrypted hard disk.4
- Continually monitor to detect and stop attacks, then automatically reboot with run-time intrusion detection.
- Whitelisting checks firmware during startup to help ensure it's authentic, good code digitally signed by HP.

Give workgroups the speed they need

- Help workgroups capture every page easily and detect potential errors or missed pages
- Enter data more guickly and accurately using the pull-out keyboard.5
- Help ensure every scanned document is properly oriented, cropped to size, and greyscale-optimised.
- Load up to 250 pages into the automatic document feeder for fast, unattended scanning.

Product walkaround

HP LaserJet Managed Flow MFP E82540z shown

- 1. 250-sheet automatic document feeder supports media up to A3
 2. Flatbed scanner handles sheets up to 297x 432 mm
 3. 20.3 cm Golour touchscreen control panel tilts up for easier viewing
 4. Pull-out keyboard (Flow MFP E825402, Flow MFP E825502, Flow MFP E825602)
 5. Right door (access to the print path)
 6. 100-sheet multipurpose tray 1 supports media up to A3
 7. Front door access to toner cartridges
 8. Hardware Integration Pocket (for connecting accessory and third-party devices)
 9. Easy-access USB port
 10. 500-sheet output bin
 11. Automatic two-sided printing
 12. HP Secure High-Performance Hard Disk
 13. 520-sheet tray 2 supports media up to A4
 14. 520-sheet tray 3 supports media up to A3
 15. Slot for cable-type security lock
 16. 2 Hi-Speed USB 2.0 Host ports
 17. Gigabit Ethernet port
 18. Hi-Speed USB 2.0 Device port





Series at a glance













Model	HP Managed MFP E82540dn	HP Managed MFP E82550dn	HP Managed MFP E82560dn	HP Managed Flow MFP E82540z	HP Managed Flow MFP E82550z	HP Managed Flow MFP E82560z
Product number	X3A79A + X3A69A or Z8Z18A	X3A79A + X3A72A or Z8Z20A	X3A79A + X3A75A or Z8Z22A	X3A82A + X3A68A or Z8Z19A	X3A82A + X3A71A or Z8Z21A	X3A82A + X3A74A or Z8Z23A
Functions	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Print, copy, and scan (fax and wireless optional)	Same as E82540dn	Same as E82550dn	Same as E82560dn
Print speed	Up to 40 pages per minute (ppm), A4	Up to 50 pages per minute (ppm), A4	Up to 60 pages per minute (ppm), A4	Same as E82540dn	Same as E82550dn	Same as E82560dn
ADF capacity	250 sheets, supports media up to A3	250 sheets, supports media up to A3	250 sheets, supports media up to A3	Same as E82540dn	Same as E82550dn	Same as E82560dn
Scan speeds	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 90 ipm/180 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4)	Simplex/duplex: 120 ipm/240 ipm (A4
Advanced workflow features	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Send to Microsoft® SharePoint®	Same as E82540dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E82550dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientation, auto-page-crop, embedded OCR	Same as E82560dn, plus: HP EveryPage technology, pull-out keyboard, auto-tone, auto orientatior auto-page-crop, embedded OCR
Optional input accessories	2 x 520-sheet Paper Feeder, 2,000-sheet HCl Feeder, 3,000-sheet side-mount HCl Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	2 x 520-sheet Paper Feeder, 2,000-sheet HCI Feeder, 3,000-sheet side-mount HCI Feeder, Printer Cabinet	Same as E82540dn	Same as E82550dn	Same as E82560dn
Optional output accessories	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Stapler/Stacker, Inner Finisher, Hole Punch (2/3, 2/4, and Swedish), Booklet Maker	Same as E82540dn	Same as E82550dn	Same as E82560dn

Accessories, Supplies and Support

Supplies 12	W9014MC HP W9014MC Black Managed LaserJet Toner 69,000 pages						
Supplies -	W9015MC HP W9015MC Black Managed LaserJet Imaging Drum 396,000 pages						
	W9013PM, FP W9013PM, Black Maladged Laser Jet Intagling Ordin 350,000 pages W9018PM, FP W9016PM, Managed Laser Jet Tint righting To John 300,000 pages						
Accessories	Y1614A HP LaserJet Stapler/Stacker Finisher Staples						
	Y1G16A HP LaserJet Printer Cabinet						
	Y1F98A HP LaserJet Dual Cassette Department Feeder						
	Y1G21A HP LaserJet 2000-sheet HCl Input Tray						
	Y1G20A HP LaserJet 3000 Sheet HCI Dept Tray						
	Y1600A HP LaserJet Inner Finisher						
	Y1618A HP LaserJet Stapler/Stacker Finisher						
	Y1607A HP LaserJet Booklet Finisher						
	Y1G03A HP LaserJet Inner Finisher Hole 2/4 Punch						
	Y1604A HP LaserJet Inner Finisher Swedish Punch						
	Y1G11A HP LaserJet Hole Punch 2/4 Accessory						
	Y1G12A HP LaserJet Hole Punch Swedish Accessory						
	CC487A HP Laser Jet MFP Analog Fax Accessory 500						
	B5L28A HP Internal USB Ports						
	B5L29A HP High-Performance Secure Hard Disk						
	B5L31A HP Foreign Interface Harness						
	F5S62A HP Trusted Platform Module Accessory						
	Y1G01A HP LaserJet Department Job Separator						
Connectivity	J8030A HP Jetdirect 3000w NFC/Wireless Accessory						
	J8031A HP Jetdirect 2900nw Print Server						
Service and support	USLR0E HP 1 year Next Business Day Hardware Support with Defective Media Retention for LaserJet EBZ5x MFP USLR1E HP 3 year Next Business Day Hardware Support with Defective Media Retention for LaserJet EBZ5x MFP USLR2E HP 4 year Next Business Day Hw Support with Defective Media Retention for LaserJet EBZ5x MFP USLR3E HP 5 year Next Business Day Hw Support with Defective Media Retention for LaserJet EBZ5x MFP USLR3E HP 3 year Next Business Day Parts Exchange Service for LaserJet EBZ5x MFP USLR3E HP 3 year Next Business Day Parts Exchange Service for LaserJet EBZ5x MFP USLR3E HP 4 year Next Business Day Parts Exchange Service for LaserJet EBZ5x MFP USLR3E HP 4 year Next Business Day Parts Exchange Service for LaserJet EBZ5x MFP USLSGE HP 5 year Next Business Day Parts Exchange Service for LaserJet EBZ5x MFP						

Technical specifications

Model	HP Managed MFP E82540dn	HP Managed MFP E82550dn	HP Managed MFP E82560dn	HP Managed Flow MFP E82540z	HP Managed Flow MFP E82550z	HP Managed Flow MFP E82560z		
Product number	X3A79A + X3A69A or Z8Z18A	X3A79A + X3A72A or Z8Z20A	X3A79A + X3A75A or Z8Z22A	X3A82A + X3A68A or Z8Z19A	X3A82A + X3A71A or Z8Z21A	X3A82A + X3A74A or Z8Z23A		
Functions	Print, Copy, Scan (fax and wireless optional)							
Control panel	20.3 cm (8.0-in) Colour Graphics Display (CGD) with tourbscreen; Rotating (adjustable angle) display; Illuminated Home button (for quick return to the Home menu); USB High-speed 2.0 port; Hardware integration pocket; Pull-out keyboard							
Print								
Print technology	Laser							
Print speed ³	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (A3, normal): Up to 20 ppm	Black (A4, normal): Up to 50 ppm; Black (A4, duplex): Up to 50 ipm; Black (A3, normal): Up to 25 ppm	Black (A4, normal): Up to 60 ppm; Black (A4, duplex): Up to 60 ipm; Black (A3, normal): Up to 30 ppm	Black (A4, normal): Up to 40 ppm; Black (A4, duplex): Up to 40 ipm; Black (A3, normal): Up to 20 ppm	Black (A4, normal): Up to 50 ppm; Black (A4, duplex): Up to 50 ipm; Black (A3, normal): Up to 25 ppm	Black (A4, normal): Up to 60 ppm; Black (A4, duplex): Up to 60 ipm; Black (A3, normal): Up to 30 ppm		
First page out ⁴	Black (A4, ready): As fast as 7.4 sec; Black (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.8 sec; Black (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 7.4 sec; Black (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.8 sec; Black (A4, sleep): As fast as 20 sec	Black (A4, ready): As fast as 6.3 sec; Black (A4, sleep): As fast as 20 sec		
Print resolution	Black (best): Up to 1200 x 1200 dpi reduced speed							
Monthly duty cycle	Up to 300,000 pages (A4); Recommen	ded monthly page volume: Up to 100,00	00 pages					
Printer smart software features	Businesses that stay ahead don't slow down. It's why HP built the next generation of HP LaserJet MFPS—to power productivity with a streamlined design that delivers professional quality, maximum uptime, and the strongest security. Quality printing for a great value is a smart choice for any business. Produce premium, professional-quality documents at a competitive low cost with an HP LaserJet MFP built to make your work — and your business—look its best. Annoying interruption and complex maintenance can slow down printing, and ultimately, the pace of business. Avoid pauses in productivity with an HP LaserJet MFP designed for maximum uptime, so you can count on reliable, results day in and day out. Only HP Enterprise printers repair themselves from attacks in real time, delivering built-in security to help keep your network safe Automatically monitor threats, detect intrusions, and validate operating software with security of Fered only by HP. Accelerate workflow, improve accuracy, and easily connect people throughout your organization. Complete high-volume scan jobs fast—up to 180 ipm—and avoid extra steps with a Flow MFP designed for maximum productivity.							
Standard print languages	HP PCL 6, HP Postscript level 3 emulat	ion, PDF (v 1.7), AirPrint™ compatible						
Fonts and typefaces	84 scalable TrueType fonts							
Print area	Print margins: Top: 4.23 mm, Bottom: 4.23 mm, Eft: 4.23 mm, Right: 4.23 mm, Ri							
Duplex printing	Automatic (standard)							

Model	HP Managed MFP E82540dn	HP Managed MFP E82550dn	HP Managed MFP E82560dn	HP Managed Flow MFP E82540z	HP Managed Flow MFP E82550z	HP Managed Flow MFP E82560z		
Product number	X3A79A + X3A69A or Z8Z18A	X3A79A + X3A72A or Z8Z20A	X3A79A + X3A75A or Z8Z22A	X3A82A + X3A68A or Z8Z19A	X3A82A + X3A71A or Z8Z21A	X3A82A + X3A74A or Z8Z23A		
Сору			1	1				
Copy speed	Black (A4): Up to 40 cpm	Black (A4): Up to 50 cpm	Black (A4): Up to 60 cpm	Black (A4): Up to 40 cpm	Black (A4): Up to 50 cpm	Black (A4): Up to 60 cpm		
Copier specifications	Two-sided copying; Scalability; Image adjustments (darkness, contrast, background cleanup, sharpness); Optimized text/picture (text, mixed, printed picture, photograph); N-Up; N or Z-ordering; Content orientation; Collation; Booklet; ID scar, Jr build; Job storage; Watermark; Stamps; Book mode scans; Erase edges; Automatically detect colour/monochrome; Image preview; Maximum number of copies: Up to 9999 copies; Copy resolution: Up to 1200 x 1200 dpi reduced speed; Reduce/Enlarge; 25 to 400%							
Scan								
Scan speed ⁵	Normal (A4): Up to 90 ppm/180 ipm	Normal (A4): Up to 90 ppm/180 ipm	Normal (A4): Up to 90 ppm/180 ipm	Normal (A4): Up to 120 ppm/240 ipm				
Jedii speed	(black and white); Up to 90 ppm/180 ipm (colour); Duplex (A4): Up to 180 ipm (black and white); Up to 180 ipm (colour)	(black and white); Up to 90 ppm/180 ipm (colour); Duplex (A4): Up to 180 ipm (black and white); Up to 180 ipm (colour)	(black and white); Up to 90 ppm/180 ipm (colour); Duplex (A4): Up to 180 ipm (black and white); Up to 180 ipm (colour)	(black and white); Up to 120 ppm/240 ipm (colour); Duplex (A4): Up to 240 ipm (black and white); Up to 240 ipm (colour)	ipm (colour); Duplex (A4): Up to 240 ipm (black and white); Up to 240 ipm (colour)	ipm (colour); Duplex (A4): Up to 240 ipm (black and white); Up to 240 ipm (colour)		
Scan file format	Digital Send: PDF, HH-Compression PDF, JPEG, TIFF, MTIFF, XPS, PDF/A, TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Scan to easy access USB: PDF, JPEG, TIFF, MTIFF, XPS, PDF/A TEXT (OCR), Unicode TEXT (OCR), RTF (OCR), Searchable PDF (OCR), Searchable PDF/A (OCR), HTML (OCR), CSV (OCR); Print from easy access USB: PDF, PS, Print Ready files (prn, pd, c, cht) Scanner type: Flatbed, ADF; Scan technology: Platen Scanner (CD Digital-CIS; Scan input modes: Front panel applications: Copy; E-mail; Fax; Save to network folder; Save to USB; Save to USB; Save to Ostion (OXP)							
Scanner specifications	applications; Twain version: Version 2	.1; Duplex ADF scanning: Yes; Scan size	maximum (flatbed, ADF): 297 x 432 mr			; Upen Extensibility Platform (UXP)		
Scanner Advanced Features	Scan-to-E-mail; Scan-to-network folde	er (stand alone solution); Scan to Cloud; S	can to USB; Scan-to-SharePoint					
Scannable area	Minimum media size (flatbed): 25 mm	m; Maximum media size (flatbed): 297	x 432 mm; Minimum media size (ADF): 1	05 x 148 mm; Maximum media size (AD	IF): 297 x 432 mm			
Bit depth/ Grey scale levels	24-bit / 256							
Fax	I.							
Fax ⁶	Optional, Standard (built-in Gigabit 10/	100/1000T Ethernet)						
Fax specifications	Fax resolution: Standard: 203 x 98 dp Fine: 203 x 196 dpi; Superfine: 203 x 392 dpi or 300 x 300; Quick dialing: Up to 1,000 numbers (e							
Processor speed	1.2 GHz							
Connectivity	J.							
Standard	2 Hi-Speed USB 2.0 Host; 1 Hi-Speed U	SB 2.0 Device; 1 Gigabit Ethernet 10/100	/1000T network; 1 Hardware Integration	Pocket				
Optional	HP Jetdirect 3000w NFC/Wireless Acces	ssory J8030A; HP Jetdirect 2900nw Print	Server J8031A					
Wireless	No wireless capabilities standard. There	e are optional accessories that support w	ireless.					
Mobile printing capability ⁷	Management security: SNMPv3, SSL/TI Configuration using IPsec Plug-in	_S, WPA2-Enterprise, 802.1X authenticat	ion (EAP- PEAP, EAP-TLS), IPP over TLS, IP	sec/Firewall with Certificate, Pre-Shared K	ey Authentication, and Kerberos Authenti	cation; Support for WJA-10 IPsec		
Supported network protocols		Mac OS 10.2.4 or higher), SNMPv1/v2c/v3 NetWare NDS, Bindery, NDPS, ePrint; Goo	, HTTP, HTTPS, FTP, TFTP, Port 9100, LPD, gle Cloud Print 2.0	WS Discovery, IPP, Secure-IPP, IPsec/Firew	vall; IPv6: DHCPv6, MLDv1, ICMPv6; IPv4: /	Auto-IP, SLP, Telnet, IGMPv2, BOOTP/DHC		
Network capabilities	Standard (built-in Gigabit 10/100/1000	T Ethernet)						
Hard disk	Two 320 GB Standard, embedded HP H	ligh-Performance Secure Hard Disk, Total	640 GB; AES 256 hardware encryption or	greater; Secure erase capabilities (Secure	File Erase-Temporary Job Files, Secure E	rase-Job Data, Secure ATA Erase-Disk).		
Memory	Standard: 7 GB; Maximum : 7 GB							
Media handling								
Number of paper trays	Standard: 3; Maximum: 6							
Media types	Plain, HP EcoEFICIENT, HP Matte 90g, Light 60-74g, Bond, Recycled, HP Matte 105g, HP Matte 120g, HP Soft Gloss 120g, HP Glossy 120g, Mid-Weight 96-110g, Heavy 111-130g, Mid-Weight Glossy 96-110g, Heavy Glossy 111-130g, HP Matte 150g, HP Glossy 150g, EXTra Heavy 131-175g, EXTra Heavy Glossy 131-175g, HP Matte 200g, HP Glossy 200g, Carstock 176-220g, Card Glossy 176-220g, Light Paperboard 221-255g, Paperboard 256-300g, Heavy Paperboard, Colour Transparency, Labels, LetterHead, Envelope, Preprinted, Prepunched, Coloured							
Media size	Custom (metric): Tray 1: 98 x 139.7 to 320 to 457.2 mm; Tray 2: 98 x 139.7 to 297 to 390 mm; Tray 3: 140 x 182 to 320 x 457.2 mm Supported (metric): Tray 1: A3, A4, A4R, A5, A5R, A6, SRa3, SRA4, B4 (JIS), B5 (JIS), Oficio, 8K, 16k, Postcard, Dpostcard (JIS), Envelope B5, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, A5R, Ra4, B4 (JIS), B5 (JIS), B6 (JIS), Oficio, BK, 16k, Envelope B5, Envelope C6, Envelope D1; Tray 2: A4, A4R, A5, A5R, Ra4, B4 (JIS), B5 (JIS),							
Media handling	Standard output: 500 sheet face-dow Optional input: Optional 2,000 sheet f							
Media weight	Tray 1, 2, 3: 60 to 300 g/m²; ADF: Simp	olex: 42 to 220 g/m²; Duplex: 60 to 220 g	/m²					
Input capacity	Tray 1: Sheets: 100; Envelopes: 40 Tray 2: Sheets: 520; Envelopes: 40 Tray 3: Sheets: 520 Maximum: Up to 6,140 sheets							
Output capacity	Standard: Up to 500 sheets Envelopes: Up to 40 envelopes Maximum: Up to 3,250 sheets							

Product number	HP Managed MFP E82540dn	HP Managed MFP E82550dn	HP Managed MFP E82560dn	HP Managed Flow MFP E82540z	HP Managed Flow MFP E82550z	HP Managed Flow MFP E82560z	
TOUUCT NUMBER	X3A79A + X3A69A or Z8Z18A	X3A79A + X3A72A or Z8Z20A	X3A79A + X3A75A or Z8Z22A	X3A82A + X3A68A or Z8Z19A	X3A82A + X3A71A or Z8Z21A	X3A82A + X3A74A or Z8Z23A	
Compatible operating systems	Android Boss (3.0, 5.0) http://hplipopensource.com/hplip-web/index.html, Debian (6.0.x, 7.x), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Linux OS (In-OS HPLIP), OS macOS 10.12 Sierra, OS X 10.10 Vosemite, OS X 10.11 El Capitan, SUSE Linux (12.2, 12.3, 13.1), Ubntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions (Windows B/8.1 all 32/64-bit editions (Windows PSP3 32-bit editions (WP Home, XP Pro, etc.)						
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R2, Citrix on Windows Server 2008/2008 R2/2008 R2/2008 R2 SP1 Citrix on Windows Server 2012/2012 R2, Citrix Presentation Server 4.0/4.5, Citrix XenApp 5.0 (Plus Feature Pack 2 & 3) for Windows Server 2008 Terminal Services, 32/64-bit, Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 Terminal Services, 32/64-bit), Citrix XenApp 6.0/6.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2008 R2 SP1 Terminal Services, 32/64-bit), Citrix XenDesktop 5.6/7.0/7.5 (for Windows Server 2012 and 2012 R2 Terminal Services, 64-bit), Netware 6.5/5P8 Novell Citients http://www.novell.com/print, Novell Pint Appliance v1.0, Novell Open Enterprise Server 1/5P1, Novell Open Enterprise Server 2 for Linux, Novell Servers http://www.novell.com/print, Windows Server 2003/2003 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Windows Server 2008/2008 R2 32/64-bit (SP1/5P2) Standard/Enterprise/Datacenter (+ Cluster & Terminal Services), Window						
Compatible operating systems	Android Boss (3.0, 5.0) http://hplipopensource.com/hplip-web/index.html, Debian (6.0.x, 7.x), Fedora (17, 18, 19, 20), Linux Mint (13, 14, 15, 16, 17), Linux OS (In-OS HPLIP), OS macOS 10.12 Sierra, OS X 10.10 Yosemite, OS X 10.11 EL Capitan, SUSE Linux (12.2, 12.3, 13.1), Ubuntu (10.04, 11.10, 12.04, 12.10, 13.04, 13.10, 14.04, 14.10), UNIX, Windows 10 all 32/64-bit editions (excluding RT OS for Tablets), Windows 7 all 32/64-bit editions, Windows 8/8.1 all 32/64-bit editions (excluding RT OS for Tablets), Windows Vista all 32-bit editions (WP Home, XP Pro, etc.)						
Compatible network operating systems	Citrix MetaFrame Presentation Server 3.0, Citrix MetaFrame XP Presentation Server (Feature Release 1, 2, and 3), Citrix on Windows Server 2003/2003 R.2, Citrix on Windows Server 2008/2008 R.2/2008 R.2/						
Minimum system requirements		pace, CD-ROM or DVD drive, or Internet co ternet; See http://www.Apple.com; USB	nnection, dedicated USB or network conn	ection or Wireless connection, OS hardwa	re requirements see http://www.microsof	t.com;	
Software included	HP Connected, HP Device Experience (D	XP), HP PCL 6 Printer Driver, HP Software	Installer/Uninstaller, Mac OS Welcome Scre	een (Directs users to http://www.123.HP.	om or OS App Source for printer software	e), online user manuals	
Security management	Management security: SNMPv3, SSL/TL Configuration using IPsec Plug-in	S, WPA2-Enterprise, 802.1X authentication	on (EAP- PEAP, EAP-TLS), IPP over TLS, IPS	ec/Firewall with Certificate, Pre-Shared Ke	y Authentication, and Kerberos Authentica	ation; Support for WJA-10 IPsec	
Printer management			tory Administrator Template, Add Print Mo e Plug and Play Drivers); HP Web Jetadmir				
Dimensions and Weigl	ht						
Printer dimensions (W x D x H)	Minimum: 585 x 785 x 932.2 mm; Max	imum: 1645 x 785 x 1190 mm					
	831 x 685 x 1053 mm						
(W x D x H)	95.6 kg						
(W x D x H) Printer Weight	95.6 kg 114.5 kg						
(W x D x H) Printer Weight Package weight Operating		0 to 80% RH					
(W x D x H) Printer Weight Package weight Operating environment	114.5 kg						
Package dimensions (W × D × H) Printer Weight Package weight Operating environment Storage Acoustics	114.5 kg Temperature: 15 to 30°C, Humidity: 2 Temperature: -10 to 40°C, Humidity: Acoustic power emissions: 6.5 B(A) printing monochrome simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm	Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 50 ppm. Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm	Acoustic power emissions: 6.7 B(A) printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm	Acoustic power emissions: 6.6 B(A) printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm	Acoustic power emissions: 6.6 B(A) printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm	Acoustic power emissions: 6.7 B(A) printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm	
(W x D x H) Printer Weight Package weight Operating environment Storage Acoustics	114.5 kg Temperature: 15 to 30°C, Humidity: 2 Temperature: -10 to 40°C, Humidity: Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper	10 to 80% RH Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper	printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions: 51 dB(A) printing monochrome simplex using A4 paper	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper	printing monochrome simplex using A- paper at 60 ppm, Acoustic pressure emissions : 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm Requirements : Input voltage: 220 to	
(W×D×H) Printer Weight Package weight Operating environment Storage	Temperature: 15 to 30°C, Humidity: 2 Temperature: -10 to 40°C, Humidity: 2 Acoustic power emissions: 6.6 Bid. Acoustic power emissions: 6.6 Bid. paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz). Consumption: 867 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 2.5 32 kWh/Week; Energy Star: 2.692 kWh/Week; Power supply type: Internal (Built-in) power supply	Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 50 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm Requirements: Input voltage: 220 to 240 Vac (+/ - 10%), 50/60 Hz (+/ - 3 Hz); Consumption: 998 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 3.176 kW/Week; Power supply type: Internal (Built-in) power supply, CISPR 32: 2012 (International) - Class A, CECP	printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions. 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (sleep), 0.5 watts (auto-off), 0.1 watts (ff); Typical Electricity Consumption (TEC): Blue Angel: 3.823 kWh/Week; Energy Star: 3.963 kWh/Week; Energy Star: 3.963 kWh/Week; Power supply type: Internal (Built-in) power	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions : 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm at 40 ppm Acoustic production of the Acoustic Production (A)	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions : 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm at 50 ppm (Acoustic production) at 50 ppm (Acou	printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions : 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 1090 watts (printing) 65 watts (auto-off), 0.1 watts (sleep), 0.5 watts (auto-off), 0.1 watts (sff); Typical Electricity Consumption (TEC): Blue Angel: 3.823 kMh/Week; Energy Star: 3.963 kMh/Week; Power supply type: Internal (Built-in) power supply	
(W x D x H) Printer Weight Package weight Operating environment Storage Acoustics Power	Temperature: 15 to 30°C, Humidity: 2 Temperature: -10 to 40°C, Humidity: 2 Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 40 ppm, Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm Requirements: input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 867 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 2.53 z kWh/Week; Energy Star 2.692 kWh/Week; Power supply type: Internal (Built-in) power supply type: Internal (Built-in) power supply type: Internal (Built-in) power supply STAR® qualified; EPEAT® Silver; Blue Angel compliant 'ves, Blue Angel compliant' ves, Blue Angel compliant.	Acoustic power emissions: 6.6 B(A) printing monochrome simplex using A4 paper at 50 ppm. Acoustic pressure emissions: 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm. Bequirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 998 watts (printing), 65 watts (feady), 11 watts (sieep), 0.5 watts (auto-orlf), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 3.176 kWh/Week: Energy Star: 3.299 kWh/Week; Power supply type: Internal (Built-in) power supply (GSPR 32: 2012 (International) - Class A, CECP	printing monochrome simplex using A4 paper at 60 ppm, Acoustic pressure emissions : 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz); Consumption: 1090 watts (printing), 65 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 3.823 kWh/Week; Energy Star: 3.963 kWh/Week; Power supply type: Internal (Built-in) power supply	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions : 50 dB(A) printing monochrome simplex using A4 paper at 40 ppm Requirements : Input voltage: 220 to 240 Vac (*/- 10%), 50/60 Hz (*/- 3 Hz). Consumption: 867 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (ready), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 2.53 z kWh/Week; Energy Star: 2.692 x kWh/Week; Power supply -3-2: 2014, EN 61000-3-3: 2013, EN 550	printing mono simplex using A4 paper at 40 ppm, Acoustic pressure emissions : 50 dB(A) printing monochrome simplex using A4 paper at 50 ppm Requirements : Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz). Consumption 999 watts (printing), 65 watts (ready), 11 watts (sleep), 0.5 watts (ready), 11 watts (sleep), 0.5 to 10 years (Teady), 11 watts (sleep), 10 yearts (auto-off), 0.1 watts (off); Typical Electricity Consumption (TEC): Blue Angel: 3.176 kWh/Week; Power supply 124: 2010, EMC Directive 2014/30/EU, Iss	printing monochrome simplex using Av paper at 60 ppm, Acoustic pressure emissions : 51 dB(A) printing monochrome simplex using A4 paper at 60 ppm Requirements: Input voltage: 220 to 240 Vac (+/- 10%), 50/60 Hz (+/- 3 Hz) Consumption: 1090 watts (printing) 65 watts (sade), 11 watts (sleep), 0.5 watts (auto-off), 0.1 watts (sloff); Typical Electricity Consumption (TEC): Blue Angel: 3.823 kMh/Week; Power supply type: Internal (Built-in) power supply	

Footnotes

- 1 Based on HP review of 2016 published security features of competitive in-class printers. Only HP offers a combination of security features that can monitor to detect and automatically stop an attack then self-validate software integrity in a reboot. For a list of printers, visit http://www.hp.com/go/PrintersThatProtect. For more information: http://www.hp.com/go/printersecurityclaims.
 2 Requires an Internet connection to the printer. Services may require registration. App availability varies by country, language, and agreements. For details, see http://www.hp.com.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information, see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 ⁴ Some features require additional purchase. A FutureSmart service pack update may be required to activate security features. Learn more at http://www.hp.com/go/printsecurity.
- ⁵ Feature available only on the Z bundles.

Technical specifications disclaimers

- 1 Average colour composite black declared yields based on ISO/IEC 19798 and continuous printing. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies
 2 Declared yield value in accordance with ISO/IEC 19752. Actual yields vary considerably based on images printed and other factors. For more information, visit http://www.hp.com/go/learnaboutsupplies. Actual yields vary considerably based on images printed and other factors. For details see http://www.hp.com/go/learnaboutsupplies.
- ³ Measured using ISO/IEC 24734, excludes first set of test documents. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.
- 4 Measured using ISO/IEC 17629. For more information see http://www.hp.com/go/printerclaims. Exact speed varies depending on the system configuration, software application, driver, and document complexity.

 5 Scan speeds measured from ADF. Actual processing speeds may vary depending on scan resolution, network conditions, computer performance, and application software.
- ⁶ Based on standard ITU-T test image #1 at standard resolution and MMR encoding, the HP fax device can transmit at 3 sec/page for 34V and 6 sec/page for 17V
- ⁸ No, please purchase USB cable separately (EMEA, Americas; AP). Service Technician must install units











http://www.hp.com/uk

The product could differ from the images shown. © Copyright 2018 HP Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial errors or omissions contained herein.

